

Extract from Monthly Statistics of Mineral Production February 2017 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 1988 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : February 2017

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|--------------------------|------|---------|--------------------------|------|---------|
| India | | | SMS | | 275 |
| Bauxite | t | | Chemical | | 426 |
| Non-Metallurgical | | | BF | | 530 |
| Cement | | 386 | Cement | | 430 |
| Abrasive | | 739 | Magnesite | t | 2822 |
| Refractory | | 1612 | Marl | t | 278 |
| Chemical | | 708 | Moulding Sand | t | 244 |
| Chromite | t | | Perlite | t | NA |
| Lumps | | | Pyrites | t | NA |
| Below 40% Cr2O3 | | 4484 | Salt (rock) | t | NA |
| 40% to below 52% Cr2O3 | | NA | Selenite | t | 2000 |
| 52% Cr2O3 and above | | NA | Siliceous Earth | t | 1226 |
| Fines | | | Vermiculite | t | 1004 |
| Below 40% Cr2O3 | | 1496 | Wollastonite | t | 1271 |
| 40% to below 52% Cr2O3 | | 17276 | Andhra Pradesh | | |
| 52% Cr2O3 and above | | 17789 | Iron Ore (lumps) | t | |
| Concentrates | | 22935 | Below 55% Fe | | 666 |
| Iron Ore (lumps) | t | | 55% to below 58% Fe | | NA |
| Below 55% Fe | | 672 | 58% to below 60% Fe | | NA |
| 55% to below 58% Fe | | 1660 | 60% to below 62% Fe | | NA |
| 58% to below 60% Fe | | 1771 | 62% to below 65% Fe | | NA |
| 60% to below 62% Fe | | 2047 | Iron Ore (fines) | t | |
| 62% to below 65% Fe | | 2377 | Below 55% Fe | | 342 |
| 65% Fe and above | | 2850 | 55% to below 58% Fe | | NA |
| Iron Ore (fines) | t | | 60% to below 62% Fe | | NA |
| Below 55% Fe | | 725 | 62% to below 65% Fe | | NA |
| 55% to below 58% Fe | | 1302 | Manganese Ore | t | |
| 58% to below 60% Fe | | 1593 | Dioxide ore | | NA |
| 60% to below 62% Fe | | 1593 | Below 25% Mn | | 4475 |
| 62% to below 65% Fe | | 1593 | 25% to below 35% Mn | | 4475 |
| 65% Fe and above | | 2432 | 35% to below 46% Mn | | 4775 |
| Iron Ore Conc. | t | 1293 | 46% Mn and above | | NA |
| Manganese Ore | t | | Apatite | t | NA |
| Dioxide ore | | 25295 | Asbestos | t | |
| Below 25% Mn | | 3298 | Amphibole | | NA |
| 25% to below 35% Mn | | 6282 | Garnet (abrasive) | t | 12559 |
| 35% to below 46% Mn | | 15625 | Sillimanite | t | 8781 |
| 46% Mn and above | | 26234 | Limestone | t | |
| Apatite | t | NA | LD | | 417 |
| Phosphorite | t | | SMS | | 275 |
| Below 25% P2O5 | | 555 | Chemical | | 275 |
| 25% to below 30% P2O5 | | NA | BF | | 988 |
| 30% P2O5 and above | | 4451 | Cement | | 430 |
| Asbestos | t | | Marl | t | 278 |
| Amphibole | | NA | Vermiculite | t | 633 |
| Diamond | crt | 14541 | Assam | | |
| Flint Stone | t | NA | Limestone | t | |
| Fluorite (graded) | t | | Cement | | 430 |
| Below 30% CaF2 | | NA | Marl | t | 323 |
| 30% to below 70% CaF2 | | NA | Bihar | | |
| 70% to below 85% CaF2 | | NA | Limestone | t | |
| 85% CaF2 and above | | NA | Cement | | 430 |
| Garnet (abrasive) | t | 9948 | Marl | t | 323 |
| Garnet (gem) | kg | NA | Pyrites | t | NA |
| Kyanite | t | | Chhattisgarh | | |
| Below 40% Al2O3 | | 1200 | Bauxite | t | |
| 40% Al2O3 and above | | 2819 | Non-Metallurgical | | NA |
| Sillimanite | t | 8139 | Abrasive | | NA |
| Limestone | t | | Refractory | | NA |
| LD | | 417 | Iron Ore (lumps) | t | |

NA : Not Available

t : Tonne

ASP : Average Sale Price

Extract from Monthly Statistics of Mineral Production February 2017 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 1988 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : February 2017

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|--------------------------|------|---------|----------------------------|------|---------|
| Below 55% Fe | | NA | Perlite | t | NA |
| 55% to below 58% Fe | | NA | Himachal Pradesh | | |
| 58% to below 60% Fe | | NA | Limestone | t | |
| 60% to below 62% Fe | | NA | LD | | 417 |
| 62% to below 65% Fe | | 1953 | SMS | | 275 |
| 65% Fe and above | | 2930 | Chemical | | NA |
| Iron Ore (fines) | t | | Cement | | 430 |
| Below 55% Fe | | NA | Marl | t | 278 |
| 55% to below 58% Fe | | 1382 | Salt (rock) | t | NA |
| 58% to below 60% Fe | | 1573 | Jammu & Kashmir | | |
| 60% to below 62% Fe | | 1758 | Limestone | t | |
| 62% to below 65% Fe | | 2189 | LD | | NA |
| 65% Fe and above | | 2442 | BF | | NA |
| Fluorite (graded) | t | | Cement | | 430 |
| 85% CaF2 and above | | NA | Marl | t | 323 |
| Limestone | t | | Jharkhand | | |
| LD | | NA | Bauxite | t | |
| BF | | 762 | Non-Metallurgical | | |
| Cement | | 430 | Cement | | NA |
| Marl | t | 572 | Refractory | | NA |
| Moulding Sand | t | 244 | Iron Ore (lumps) | t | |
| Goa | | | Below 55% Fe | | NA |
| Bauxite | t | | 55% to below 58% Fe | | NA |
| Non-Metallurgical | | | 58% to below 60% Fe | | NA |
| Cement | | NA | 60% to below 62% Fe | | NA |
| Iron Ore (lumps) | t | | 62% to below 65% Fe | | 3362 |
| Below 55% Fe | | 885 | 65% Fe and above | | NA |
| 55% to below 58% Fe | | 1797 | Iron Ore (fines) | t | |
| 58% to below 60% Fe | | 2250 | Below 55% Fe | | NA |
| 60% to below 62% Fe | | 2253 | 55% to below 58% Fe | | NA |
| 62% to below 65% Fe | | 2391 | 58% to below 60% Fe | | NA |
| 65% Fe and above | | NA | 60% to below 62% Fe | | 830 |
| Iron Ore (fines) | t | | 62% to below 65% Fe | | 1278 |
| Below 55% Fe | | 837 | 65% Fe and above | | NA |
| 55% to below 58% Fe | | 1392 | Manganese Ore | t | |
| 58% to below 60% Fe | | 1816 | Dioxide ore | | NA |
| 60% to below 62% Fe | | 2058 | Below 25% Mn | | NA |
| 62% to below 65% Fe | | 2058 | 25% to below 35% Mn | | 7500 |
| 65% Fe and above | | NA | 35% to below 46% Mn | | NA |
| Iron Ore Conc. | t | 1300 | 46% Mn and above | | NA |
| Manganese Ore | t | | Flint Stone | t | NA |
| Below 25% Mn | | NA | Kyanite | t | |
| 25% to below 35% Mn | | NA | Below 40% Al2O3 | | NA |
| 35% to below 46% Mn | | NA | 40% Al2O3 and above | | NA |
| 46% Mn and above | | NA | Limestone | t | |
| Gujarat | | | Cement | | 521 |
| Bauxite | t | | Marl | t | 391 |
| Non-Metallurgical | | | Karnataka | | |
| Cement | | 395 | Bauxite | t | |
| Abrasive | | 739 | Non-Metallurgical | | |
| Refractory | | 887 | Cement | | NA |
| Chemical | | 644 | Chromite | t | |
| Manganese Ore | t | | Lumps | | |
| Below 25% Mn | | 577 | Below 40% Cr2O3 | | NA |
| Fluorite (graded) | t | | 40% to below 52% Cr2O3 | | NA |
| Below 30% CaF2 | | NA | Fines | | |
| Limestone | t | | Below 40% Cr2O3 | | NA |
| Chemical | | 426 | 40% to below 52% Cr2O3 | | NA |
| Cement | | 430 | Concentrates | | NA |
| Marl | t | 323 | Iron Ore (lumps) | t | |

NA : Not Available

t : Tonne

ASP : Average Sale Price

Extract from Monthly Statistics of Mineral Production February 2017 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 1988 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : February 2017

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|--------------------------|------|---------|--------------------------|------|---------|
| Below 55% Fe | | 739 | 30% P2O5 and above | | NA |
| 55% to below 58% Fe | | 1682 | Diamond | crt | 14541 |
| 58% to below 60% Fe | | 2311 | Limestone | t | |
| 60% to below 62% Fe | | 2311 | LD | | 417 |
| 62% to below 65% Fe | | 2422 | SMS | | 275 |
| 65% Fe and above | | 2620 | Chemical | | 275 |
| Iron Ore (fines) | t | | BF | | 317 |
| Below 55% Fe | | 974 | Cement | | 430 |
| 55% to below 58% Fe | | 1403 | Marl | t | 278 |
| 58% to below 60% Fe | | 1753 | Maharashtra | | |
| 60% to below 62% Fe | | 1980 | Bauxite | t | |
| 62% to below 65% Fe | | 2101 | Non-Metallurgical | | |
| 65% Fe and above | | NA | Cement | | 305 |
| Iron Ore Conc. | t | NA | Chromite | t | |
| Manganese Ore | t | | Lumps | | |
| Below 25% Mn | | 2415 | Below 40% Cr2O3 | | NA |
| 25% to below 35% Mn | | 7290 | Iron Ore (lumps) | t | |
| 35% to below 46% Mn | | 7303 | Below 55% Fe | | 1094 |
| 46% Mn and above | | NA | 55% to below 58% Fe | | 2900 |
| Kyanite | t | | 58% to below 60% Fe | | NA |
| Below 40% Al2O3 | | 1200 | 60% to below 62% Fe | | 2900 |
| 40% Al2O3 and above | | NA | 62% to below 65% Fe | | NA |
| Limestone | t | | Iron Ore (fines) | t | |
| LD | | 417 | Below 55% Fe | | 822 |
| SMS | | 275 | 55% to below 58% Fe | | NA |
| BF | | 317 | 58% to below 60% Fe | | 1454 |
| Cement | | 430 | 60% to below 62% Fe | | NA |
| Magnesite | t | 4197 | 62% to below 65% Fe | | NA |
| Marl | t | 278 | Manganese Ore | t | |
| Kerala | | | Dioxide ore | | 31481 |
| Sillimanite | t | 9089 | Below 25% Mn | | 3093 |
| Limestone | t | | 25% to below 35% Mn | | 5990 |
| Cement | | 662 | 35% to below 46% Mn | | 17562 |
| Marl | t | 497 | 46% Mn and above | | 24399 |
| Madhya Pradesh | | | Fluorite (graded) | t | |
| Bauxite | t | | 30% to below 70% CaF2 | | NA |
| Non-Metallurgical | | | 70% to below 85% CaF2 | | NA |
| Cement | | 675 | 85% CaF2 and above | | NA |
| Refractory | | 2396 | Kyanite | t | |
| Chemical | | 800 | Below 40% Al2O3 | | NA |
| Iron Ore (lumps) | t | | 40% Al2O3 and above | | 2819 |
| Below 55% Fe | | 398 | Sillimanite | t | 3368 |
| 55% to below 58% Fe | | NA | Limestone | t | |
| 58% to below 60% Fe | | NA | Chemical | | NA |
| 60% to below 62% Fe | | NA | BF | | NA |
| Iron Ore (fines) | t | | Cement | | 430 |
| Below 55% Fe | | 404 | Marl | t | 323 |
| 55% to below 58% Fe | | NA | Meghalaya | | |
| 58% to below 60% Fe | | NA | Limestone | t | |
| 60% to below 62% Fe | | NA | Chemical | | 275 |
| Iron Ore Conc. | t | 1285 | Cement | | 430 |
| Manganese Ore | t | | Marl | t | 323 |
| Dioxide ore | | NA | Odisha | | |
| Below 25% Mn | | 2536 | Chromite | t | |
| 25% to below 35% Mn | | 5628 | Lumps | | |
| 35% to below 46% Mn | | 13466 | Below 40% Cr2O3 | | 4484 |
| 46% Mn and above | | 26387 | 40% to below 52% Cr2O3 | | NA |
| Phosphorite | t | | 52% Cr2O3 and above | | NA |
| Below 25% P2O5 | | 938 | Fines | | |
| 25% to below 30% P2O5 | | NA | Below 40% Cr2O3 | | 1496 |

NA : Not Available

t : Tonne

ASP : Average Sale Price

Extract from Monthly Statistics of Mineral Production February 2017 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 1988 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : February 2017

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|--------------------------|------|---------|--------------------------|------|---------|
| 40% to below 52% Cr2O3 | | 17276 | Non-Metallurgical | | |
| 52% Cr2O3 and above | | 17789 | Cement | | NA |
| Concentrates | | 22935 | Garnet (abrasive) | t | NA |
| Iron Ore (lumps) | t | | Limestone | t | |
| Below 55% Fe | | 345 | LD | | NA |
| 55% to below 58% Fe | | 1453 | Chemical | | NA |
| 58% to below 60% Fe | | 1566 | Cement | | 430 |
| 60% to below 62% Fe | | 1908 | Magnesite | t | 3688 |
| 62% to below 65% Fe | | 2376 | Marl | t | 323 |
| 65% Fe and above | | 2376 | Vermiculite | t | 3310 |
| Iron Ore (fines) | t | | Telangana | | |
| Below 55% Fe | | 357 | Iron Ore (lumps) | t | |
| 55% to below 58% Fe | | 939 | 55% to below 58% Fe | | NA |
| 58% to below 60% Fe | | 939 | Manganese Ore | t | |
| 60% to below 62% Fe | | 939 | Below 25% Mn | | 4788 |
| 62% to below 65% Fe | | 1173 | 25% to below 35% Mn | | 6608 |
| 65% Fe and above | | 1300 | Limestone | t | |
| Iron Ore Conc. | t | NA | Cement | | 430 |
| Manganese Ore | t | | Marl | t | 323 |
| Dioxide ore | | 25064 | Uttar Pradesh | | |
| Below 25% Mn | | 3090 | Limestone | t | |
| 25% to below 35% Mn | | 8321 | Cement | | 430 |
| 35% to below 46% Mn | | 21744 | Marl | t | 323 |
| 46% Mn and above | | 22448 | Uttarakhand | | |
| Garnet (abrasive) | t | 6059 | Magnesite | t | 981 |
| Sillimanite | t | 5952 | West Bengal | | |
| Limestone | t | | Apatite | t | NA |
| BF | | 317 | Moulding Sand | t | NA |
| Cement | | 430 | | | |
| Marl | t | 323 | | | |
| Rajasthan | | | | | |
| Iron Ore (lumps) | t | | | | |
| Below 55% Fe | | 300 | | | |
| 55% to below 58% Fe | | NA | | | |
| 65% Fe and above | | 1500 | | | |
| Iron Ore (fines) | t | | | | |
| Below 55% Fe | | NA | | | |
| Manganese Ore | t | | | | |
| 25% to below 35% Mn | | 3000 | | | |
| Phosphorite | t | | | | |
| Below 25% P2O5 | | 533 | | | |
| 25% to below 30% P2O5 | | NA | | | |
| 30% P2O5 and above | | 4451 | | | |
| Fluorite (graded) | t | | | | |
| Below 30% CaF2 | | NA | | | |
| 30% to below 70% CaF2 | | NA | | | |
| 70% to below 85% CaF2 | | NA | | | |
| Garnet (abrasive) | t | NA | | | |
| Garnet (gem) | kg | NA | | | |
| Limestone | t | | | | |
| LD | | 417 | | | |
| Chemical | | 275 | | | |
| Cement | | 430 | | | |
| Marl | t | 278 | | | |
| Selenite | t | 2000 | | | |
| Siliceous Earth | t | 1226 | | | |
| Vermiculite | t | NA | | | |
| Wollastonite | t | 1271 | | | |
| Tamil Nadu | | | | | |
| Bauxite | t | | | | |

NA : Not Available

t : Tonne

ASP : Average Sale Price