

Extract from Monthly Statistics of Mineral Production March 2019 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 2017 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : March 2019

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|--|------|----------|--|------|---------|
| India | | | Below 40% Al ₂ O ₃ | | NA |
| Bauxite | t | | 40% Al ₂ O ₃ and above | | 1450 |
| Non-Metallurgical | | | Sillimanite* | t | 3613 |
| Cement | | 456 (P) | Limestone | t | |
| Abrasive | | 695 | LD | | 446 |
| Refractory | | 1023 (P) | SMS | | 323 |
| Chemical | | 652 | Chemical | | 408 |
| Chromite | t | | BF | | 874 |
| Lumps | | | Cement | | 332 |
| Below 40% Cr ₂ O ₃ | | (U) | Magnesite | t | 2969 |
| 40% to below 52% Cr ₂ O ₃ | | (U) | Marl | t | 297 |
| 52% Cr ₂ O ₃ and above | | (U) | Moulding Sand | t | 280 |
| Fines | | | Perlite | t | NA |
| Below 40% Cr ₂ O ₃ | | (U) | Pyrites | t | NA |
| 40% to below 52% Cr ₂ O ₃ | | (U) | Salt (rock) | t | NA |
| 52% Cr ₂ O ₃ and above | | (U) | Selenite | t | 2000 |
| Concentrates | | (U) | Siliceous Earth | t | 779 |
| Iron Ore (lumps) | t | | Vermiculite | t | 720 |
| Below 55% Fe | | 753 | Wollastonite | t | 987 |
| 55% to below 58% Fe | | 2071 | Andhra Pradesh | | |
| 58% to below 60% Fe | | 2378 | Iron Ore (lumps) | t | |
| 60% to below 62% Fe | | 2928 (P) | Below 55% Fe | | 530 |
| 62% to below 65% Fe | | 3621 | 55% to below 58% Fe | | NA |
| 65% Fe and above | | 4368 | 58% to below 60% Fe | | NA |
| Iron Ore (fines) | t | | 60% to below 62% Fe | | NA |
| Below 55% Fe | | 606 (P) | 62% to below 65% Fe | | NA |
| 55% to below 58% Fe | | 1129 | Iron Ore (fines) | t | |
| 58% to below 60% Fe | | 1408 | Below 55% Fe | | 548 |
| 60% to below 62% Fe | | 1472 | 55% to below 58% Fe | | NA |
| 62% to below 65% Fe | | 2292 | 60% to below 62% Fe | | NA |
| 65% Fe and above | | 3378 | 62% to below 65% Fe | | NA |
| Iron Ore Conc. | t | 2048 | Manganese Ore | t | |
| Manganese Ore | t | | Dioxide ore | | NA |
| Dioxide ore | | 28598 | Below 25% Mn | | 3425 |
| Below 25% Mn | | 2516 | 25% to below 35% Mn | | 4871 |
| 25% to below 35% Mn | | 6104 | 35% to below 46% Mn | | 9407 |
| 35% to below 46% Mn | | 12886 | 46% Mn and above | | NA |
| 46% Mn and above | | 20081 | Apatite | t | NA |
| Apatite | t | NA | Asbestos | t | |
| Phosphorite | t | | Amphibole | | NA |
| Upto 25% P ₂ O ₅ | | 558 | Garnet (abrasive)* | t | NA |
| Above 25% to 30% P ₂ O ₅ | | 4500 | Sillimanite* | t | NA |
| Above 30% P ₂ O ₅ | | 5000 | Limestone | t | |
| Asbestos | t | | LD | | 446 |
| Amphibole | | NA | SMS | | NA |
| Diamond | crt | 15701 | Chemical | | NA |
| Flint Stone | t | NA | BF | | 935 |
| Fluorite (graded) | t | | Cement | | 332 |
| Below 30% CaF ₂ | | NA | Marl | t | 297 |
| 30% to below 70% CaF ₂ | | 6847 | Vermiculite | t | 600 |
| 70% to below 85% CaF ₂ | | 10250 | Assam | | |
| 85% CaF ₂ and above | | NA | Limestone | t | |
| Garnet (abrasive)* | t | NA | Cement | | 388 |
| Garnet (gem)* | kg | NA | Marl | t | 291 |
| Graphite | t | | Bihar | | |
| With less than 40% fixed carbon | | 1092 | Limestone | t | |
| With 40% or more fixed carbon but less than 80% fixed carbon | | 3200 | Cement | | 666 |
| 80% fixed carbon | | NA | Marl | t | 500 |
| With 80% or more fixed carbon | | NA | | | |
| Kyanite | t | | | | |

NA : Not Available

t : Tonne

ASP : Average Sale Price

(P) : Provisional and under reference to State Government. (U) : Under reference * : Other than BSM

Extract from Monthly Statistics of Mineral Production March 2019 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 2017 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : March 2019

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|--------------------------|------|---------|---|------|----------|
| Pyrites | t | NA | Below 25% Mn | | 839 |
| Chhattisgarh | | | Fluorite (graded) | t | |
| Bauxite | t | | Below 30% CaF2 | | NA |
| Non-Metallurgical | | | Limestone | t | |
| Abrasive | | NA | Chemical | | 408 |
| Refractory | | NA | Cement | | 332 |
| Iron Ore (lumps) | t | | Marl | t | 306 |
| Below 55% Fe | | NA | Perlite | t | NA |
| 55% to below 58% Fe | | NA | Himachal Pradesh | | |
| 58% to below 60% Fe | | NA | Limestone | t | |
| 60% to below 62% Fe | | NA | LD | | 446 |
| 62% to below 65% Fe | | 3134 | SMS | | 323 |
| 65% Fe and above | | 4130 | Chemical | | NA |
| Iron Ore (fines) | t | | Cement | | 332 |
| Below 55% Fe | | NA | Marl | t | 297 |
| 55% to below 58% Fe | | NA | Salt (rock) | t | NA |
| 58% to below 60% Fe | | NA | Jammu & Kashmir | | |
| 60% to below 62% Fe | | 2734 | Limestone | t | |
| 62% to below 65% Fe | | 3264 | LD | | NA |
| 65% Fe and above | | 3417 | BF | | NA |
| Fluorite (graded) | t | | Cement | | 332 |
| 85% CaF2 and above | | NA | Marl | t | 249 |
| Limestone | t | | Jharkhand | | |
| LD | | NA | Bauxite | t | |
| BF | | 948 | Non-Metallurgical | | |
| Cement | | 332 | Refractory | | 600 |
| Marl | t | 711 | Iron Ore (lumps) | t | |
| Moulding Sand | t | 280 | Below 55% Fe | | NA |
| Goa | | | 55% to below 58% Fe | | 1748 |
| Iron Ore (lumps) | t | | 58% to below 60% Fe | | 2098 |
| Below 55% Fe | | NA | 60% to below 62% Fe | | 2860 (P) |
| 55% to below 58% Fe | | NA | 62% to below 65% Fe | | 4724 |
| 58% to below 60% Fe | | NA | 65% Fe and above | | 4724 |
| 60% to below 62% Fe | | NA | Iron Ore (fines) | t | |
| 62% to below 65% Fe | | NA | Below 55% Fe | | 400 |
| 65% Fe and above | | NA | 55% to below 58% Fe | | 707 |
| Iron Ore (fines) | t | | 58% to below 60% Fe | | 1320 |
| Below 55% Fe | | NA | 60% to below 62% Fe | | 1739 |
| 55% to below 58% Fe | | NA | 62% to below 65% Fe | | 1739 |
| 58% to below 60% Fe | | NA | 65% Fe and above | | NA |
| 60% to below 62% Fe | | NA | Manganese Ore | t | |
| 62% to below 65% Fe | | NA | Dioxide ore | | NA |
| 65% Fe and above | | NA | Below 25% Mn | | 7100 |
| Iron Ore Conc. | t | NA | 25% to below 35% Mn | | 7303 |
| Manganese Ore | t | | 35% to below 46% Mn | | 12000 |
| Below 25% Mn | | NA | 46% Mn and above | | NA |
| 25% to below 35% Mn | | NA | Flint Stone | t | NA |
| 35% to below 46% Mn | | NA | Graphite | t | |
| 46% Mn and above | | NA | With less than 40% fixed carbon | | 1092 |
| Limestone | t | | With 40% or more fixed carbon but less than | | NA |
| LD | | NA | 80% fixed carbon | | NA |
| Gujarat | | | With 80% or more fixed carbon | | NA |
| Bauxite | t | | Kyanite | t | |
| Non-Metallurgical | | | Below 40% Al2O3 | | NA |
| Cement | | 482 | 40% Al2O3 and above | | NA |
| Abrasive | | 695 | Limestone | t | |
| Refractory | | 1639 | BF | | NA |
| Chemical | | 650 | Cement | | 340 |
| Manganese Ore | t | | Marl | t | 255 |

NA : Not Available

t : Tonne

ASP : Average Sale Price

(P) : Provisional and under reference to State Government. (U) : Under reference * : Other than BSM

Extract from Monthly Statistics of Mineral Production March 2019 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 2017 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : March 2019

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|--------------------------|------|----------|--------------------------|------|---------|
| Karnataka | | | Below 55% Fe | | 544 |
| Bauxite | t | | 55% to below 58% Fe | | NA |
| Non-Metallurgical | | | 58% to below 60% Fe | | NA |
| Cement | | NA | 60% to below 62% Fe | | NA |
| Chromite | t | | Iron Ore Conc. | t | NA |
| Lumps | | | Manganese Ore | t | |
| Below 40% Cr2O3 | | (U) | Dioxide ore | | NA |
| 40% to below 52% Cr2O3 | | (U) | Below 25% Mn | | 2701 |
| Fines | | | 25% to below 35% Mn | | 4234 |
| Below 40% Cr2O3 | | (U) | 35% to below 46% Mn | | 12707 |
| 40% to below 52% Cr2O3 | | (U) | 46% Mn and above | | 20314 |
| Concentrates | | (U) | Phosphorite | t | |
| Iron Ore (lumps) | t | | Upto 25% P2O5 | | 815 |
| Below 55% Fe | | 1300 | Above 25% to 30% P2O5 | | NA |
| 55% to below 58% Fe | | 2092 | Above 30% P2O5 | | NA |
| 58% to below 60% Fe | | 2240 | Diamond | crt | 15701 |
| 60% to below 62% Fe | | 2781 | Limestone | t | |
| 62% to below 65% Fe | | 3286 | LD | | NA |
| 65% Fe and above | | 3666 | SMS | | 323 |
| Iron Ore (fines) | t | | Chemical | | 397 |
| Below 55% Fe | | 682 (P) | BF | | 853 |
| 55% to below 58% Fe | | 1285 | Cement | | 332 |
| 58% to below 60% Fe | | 1447 | Marl | t | 640 |
| 60% to below 62% Fe | | 2405 | Maharashtra | | |
| 62% to below 65% Fe | | 2630 | Bauxite | t | |
| 65% Fe and above | | 3097 | Non-Metallurgical | | |
| Iron Ore Conc. | t | NA | Cement | | 270 (P) |
| Manganese Ore | t | | Chromite | t | |
| Below 25% Mn | | 1889 | Lumps | | |
| 25% to below 35% Mn | | 8195 | Below 40% Cr2O3 | | (U) |
| 35% to below 46% Mn | | 9935 | Iron Ore (lumps) | t | |
| 46% Mn and above | | NA | Below 55% Fe | | 795 |
| Kyanite | t | | 55% to below 58% Fe | | 1297 |
| Below 40% Al2O3 | | NA | 58% to below 60% Fe | | NA |
| 40% Al2O3 and above | | NA | 60% to below 62% Fe | | NA |
| Limestone | t | | 62% to below 65% Fe | | NA |
| LD | | NA | Iron Ore (fines) | t | |
| SMS | | NA | Below 55% Fe | | 631 |
| BF | | 332 | 55% to below 58% Fe | | NA |
| Cement | | 332 | 58% to below 60% Fe | | NA |
| Magnesite | t | 5427 | 60% to below 62% Fe | | NA |
| Marl | t | 249 | 62% to below 65% Fe | | NA |
| Kerala | | | Manganese Ore | t | |
| Sillimanite* | t | NA | Dioxide ore | | 28490 |
| Limestone | t | | Below 25% Mn | | 2130 |
| Cement | | 845 | 25% to below 35% Mn | | 6102 |
| Marl | t | 634 | 35% to below 46% Mn | | 13234 |
| Madhya Pradesh | | | 46% Mn and above | | 18632 |
| Bauxite | t | | Fluorite (graded) | t | |
| Non-Metallurgical | | | 30% to below 70% CaF2 | | 6847 |
| Cement | | 767 | 70% to below 85% CaF2 | | 10250 |
| Refractory | | 1752 (P) | 85% CaF2 and above | | NA |
| Chemical | | 847 | Kyanite | t | |
| Iron Ore (lumps) | t | | Below 40% Al2O3 | | NA |
| Below 55% Fe | | 442 | 40% Al2O3 and above | | 1450 |
| 55% to below 58% Fe | | 442 | Sillimanite* | t | 3613 |
| 58% to below 60% Fe | | 578 | Limestone | t | |
| 60% to below 62% Fe | | NA | Chemical | | NA |
| Iron Ore (fines) | t | | BF | | NA |

NA : Not Available

t : Tonne

ASP : Average Sale Price

(P) : Provisional and under reference to State Government. (U) : Under reference * : Other than BSM

Extract from Monthly Statistics of Mineral Production March 2019 issue.**6 (a). State wise Average Sale Price of minerals by Grades**

[see rules under MCDR, 2017 / Mineral (Auction) Rules, 2015 /

Minerals(Other than Atomic and Hydro Carbons Energy Minerals) Concession Rules, 2016]

Month : March 2019

| State / Mineral / Grades | Unit | ASP (₹) | State / Mineral / Grades | Unit | ASP (₹) |
|---|------|---------|---|------|---------|
| Cement | | 332 | Manganese Ore | t | |
| Marl | t | 249 | 25% to below 35% Mn | | 3000 |
| Meghalaya | | | Phosphorite | t | |
| Sillimanite* | t | NA | Upto 25% P2O5 | | 509 |
| Limestone | t | | Above 25% to 30% P2O5 | | 4500 |
| Chemical | | NA | Above 30% P2O5 | | 5000 |
| Cement | | 347 | Fluorite (graded) | t | |
| Marl | t | 260 | Below 30% CaF2 | | NA |
| Odisha | | | 30% to below 70% CaF2 | | NA |
| Chromite | t | | 70% to below 85% CaF2 | | NA |
| Lumps | | | Garnet (abrasive)* | t | NA |
| Below 40% Cr2O3 | | (U) | Garnet (gem)* | kg | NA |
| 40% to below 52% Cr2O3 | | (U) | Limestone | t | |
| 52% Cr2O3 and above | | (U) | LD | | 446 |
| Fines | | | Chemical | | 397 |
| Below 40% Cr2O3 | | (U) | Cement | | 332 |
| 40% to below 52% Cr2O3 | | (U) | Marl | t | 297 |
| 52% Cr2O3 and above | | (U) | Selenite | t | 2000 |
| Concentrates | | (U) | Siliceous Earth | t | 779 |
| Iron Ore (lumps) | t | | Vermiculite | t | NA |
| Below 55% Fe | | 868 | Wollastonite | t | 987 |
| 55% to below 58% Fe | | 2259 | Tamil Nadu | | |
| 58% to below 60% Fe | | 2525 | Bauxite | t | |
| 60% to below 62% Fe | | 3103 | Non-Metallurgical | | |
| 62% to below 65% Fe | | 3703 | Cement | | NA |
| 65% Fe and above | | 5171 | Garnet (abrasive)* | t | NA |
| Iron Ore (fines) | t | | Graphite | t | |
| Below 55% Fe | | 382 | With less than 40% fixed carbon | | NA |
| 55% to below 58% Fe | | 1036 | With 40% or more fixed carbon but less than | | NA |
| 58% to below 60% Fe | | 1036 | 80% fixed carbon | | |
| 60% to below 62% Fe | | 1325 | With 80% or more fixed carbon | | NA |
| 62% to below 65% Fe | | 1999 | Sillimanite* | t | NA |
| 65% Fe and above | | 2334 | Limestone | t | |
| Iron Ore Conc. | t | 2048 | LD | | NA |
| Manganese Ore | t | | Chemical | | NA |
| Dioxide ore | | 30160 | BF | | NA |
| Below 25% Mn | | 4300 | Cement | | 332 |
| 25% to below 35% Mn | | 9138 | Magnesite | t | 4337 |
| 35% to below 46% Mn | | 20823 | Marl | t | 249 |
| 46% Mn and above | | 26211 | Vermiculite | t | 3310 |
| Garnet (abrasive)* | t | NA | Telangana | | |
| Graphite | t | | Iron Ore (lumps) | t | |
| With less than 40% fixed carbon | | NA | 55% to below 58% Fe | | NA |
| With 40% or more fixed carbon but less than | | 3200 | Manganese Ore | t | |
| 80% fixed carbon | | | Dioxide ore | | NA |
| With 80% or more fixed carbon | | NA | Below 25% Mn | | 5259 |
| Sillimanite* | t | NA | 25% to below 35% Mn | | 7233 |
| Limestone | t | | Limestone | t | |
| BF | | 332 | Cement | | 332 |
| Cement | | 354 | Marl | t | 249 |
| Marl | t | 266 | Uttar Pradesh | | |
| Rajasthan | | | Limestone | t | |
| Iron Ore (lumps) | t | | Cement | | 332 |
| Below 55% Fe | | 300 | Marl | t | 249 |
| 55% to below 58% Fe | | NA | Uttarakhand | | |
| 65% Fe and above | | NA | Magnesite | t | 1421 |
| Iron Ore (fines) | t | | West Bengal | | |
| Below 55% Fe | | NA | Apatite | t | NA |
| Iron Ore Conc. | t | NA | Moulding Sand | t | NA |

NA : Not Available

t : Tonne

ASP : Average Sale Price

(P) : Provisional and under reference to State Government. (U) : Under reference * : Other than BSM